

# Quantitative Solution Calculations

1. a)  $n = 3.2 \text{ mol}$        $C = \frac{n}{V}$   
 $C = ?$   
 $V = 800 \text{ mL} \rightarrow 0.800 \text{ L}$        $C = \frac{3.2 \text{ mol}}{0.800 \text{ L}}$   
 $C = 4.0 \text{ mol/L}$   
 $C = 4.0 \text{ M}$

b)  $n = 0.538 \text{ g} \times \frac{1 \text{ mol}}{212.27 \text{ g}} = 0.00253 \text{ mol}$        $C = \frac{n}{V}$   
 $C = ?$   
 $V = 38 \text{ mL} \rightarrow 0.038 \text{ L}$        $C = \frac{0.00253 \text{ mol}}{0.038 \text{ L}}$   
 $C = 0.0667 \text{ mol/L}$   
 $C = 0.0667 \text{ M}$

c)  $C_s = 5 \text{ mL}$        $C_b = \frac{C_s V_s}{V_b}$   
 $V_s = 6 \text{ M}$   
 $C_b =$        $C_b = \frac{5 \text{ mL} \times 6 \text{ M}}{1000 \text{ mL}}$   
 $V_b = 1 \text{ L} \rightarrow 1000 \text{ mL}$        $C_b = 0.03 \text{ M}$

$$2. \quad a) \quad n = 0.258 \text{ mol} \quad V = \frac{n}{c}$$

$$c = 0.1 \text{ mol/L} \quad V = \frac{0.258 \text{ mol}}{0.1 \text{ mol/L}}$$

$$V = ? \quad V = 2.58 \text{ L}$$

$$b) \quad n = 15.2 \text{ g} \times \frac{1 \text{ mol}}{383.00 \text{ g}} = 0.0397 \text{ mol} \quad V = \frac{n}{c}$$

$$c = 0.1 \text{ mol/L} \quad V = \frac{0.0397 \text{ mol}}{0.1 \text{ mol/L}}$$

$$V = ? \quad V = 0.397 \text{ L}$$

$$V = 397 \text{ mL}$$

$$c) \quad C_s = 1.5 \text{ M} \quad V_D = \frac{C_s V_s}{C_D}$$

$$V_s = 13.1 \text{ mL}$$

$$C_D = 0.1 \text{ M} \quad V_D = \frac{1.5 \text{ M} \times 13.1 \text{ mL}}{0.1 \text{ M}}$$

$$V_D = ? \quad V_D = 197 \text{ mL}$$

$$V_D = 0.197 \text{ L}$$

3. a)  $n = ?$

$$C = 0.25 \text{ mol/L}$$

$$V = 450 \text{ mL} \rightarrow 0.450 \text{ L}$$

$$n = CV$$

$$n = 0.25 \text{ mol/L} \times 0.450 \text{ L}$$

$$n = 0.113 \text{ mol}$$

b)  $n = ?$

$$C = 3.5 \text{ mol/L}$$

$$V = 380 \text{ mL} \rightarrow 0.380 \text{ L}$$

$$n = CV$$

$$n = 3.5 \text{ mol/L} \times 0.380 \text{ L}$$

$$n = 1.33 \text{ mol}$$

$$1.33 \text{ mol} \times \frac{80.06 \text{ g}}{1 \text{ mol}} = 106.5 \text{ g } \text{NH}_4\text{NO}_3$$

c)  $C_s = 6 \text{ M}$

$$V_s = ?$$

$$C_0 = 0.5 \text{ M}$$

$$V_0 = 5.50 \text{ L}$$


$$V_s = \frac{C_0 V_0}{C_s}$$

$$V_s = \frac{0.5 \text{ M} \times 5.50 \text{ L}}{6 \text{ M}}$$

$$V_s = 0.458 \text{ L}$$

$$V_s = 458 \text{ mL}$$

4. If 550 mL of 0.350 M barium chloride solution and 575 mL of 0.250 M sodium phosphate solution are mixed together, determine the following:
- the limiting reagent
  - the name and the mass of the precipitate that forms
  - the concentration of the remaining ionic solution (assume a total volume of 1.125 L)



Consider  $\text{BaCl}_2$ :

$$n = ?$$

$$C = 0.350 \text{ mol/L}$$

$$V = 550 \text{ mL} \rightarrow 0.550 \text{ L}$$

$$n = CV$$

$$n = 0.350 \text{ mol/L} \times 0.550 \text{ L}$$

$$n = 0.1925 \text{ mol BaCl}_2 \text{ available}$$

LIMITING

$$0.1925 \text{ mol BaCl}_2 \times \frac{2 \text{ mol Na}_3\text{PO}_4}{3 \text{ mol BaCl}_2} = 0.1283 \text{ mol Na}_3\text{PO}_4 \text{ required}$$

Consider  $\text{Na}_3\text{PO}_4$ :

$$n = ?$$

$$C = 0.250 \text{ mol/L}$$

$$V = 575 \text{ mL} \rightarrow 0.575 \text{ L}$$

$$n = CV$$

$$n = 0.250 \text{ mol/L} \times 0.575 \text{ L}$$

$$n = 0.1438 \text{ mol Na}_3\text{PO}_4 \text{ available}$$

EXCESS

$$0.1438 \text{ mol Na}_3\text{PO}_4 \times \frac{3 \text{ mol BaCl}_2}{2 \text{ mol Na}_3\text{PO}_4} = 0.2156 \text{ mol BaCl}_2 \text{ required}$$

therefore the limiting reagent is  $\text{BaCl}_2$

$$\rightarrow 0.1925 \text{ mol BaCl}_2 \times \frac{1 \text{ mol Ba}_3(\text{PO}_4)_2}{3 \text{ mol BaCl}_2} \times \frac{601.93 \text{ g Ba}_3(\text{PO}_4)_2}{1 \text{ mol Ba}_3(\text{PO}_4)_2} = 38.6 \text{ g Ba}_3(\text{PO}_4)_2$$

$$\rightarrow 0.1925 \text{ mol BaCl}_2 \times \frac{6 \text{ mol NaCl}}{3 \text{ mol BaCl}_2} = 0.3850 \text{ mol NaCl}$$

$$n = 0.3850 \text{ mol}$$

$$C = \frac{n}{V}$$


$$C = ?$$

$$V = 0.550 \text{ L} + 0.575 \text{ L} = 1.125 \text{ L}$$

$$C = \frac{0.3850 \text{ mol}}{1.125 \text{ L}}$$

$$C = 0.342 \text{ M NaCl}$$

5. Calculate the mass of precipitate and the concentration of sodium nitrate solution the forms when 200 mL of 0.5 M strontium nitrate solution and 300 mL of 0.3 M sodium carbonate solution are mixed together (assume a total volume of 500 mL)



Consider  $\text{Sr}(\text{NO}_3)_2$  :

$$n = ?$$

$$C = 0.5 \text{ mol/L}$$

$$V = 200 \text{ mL} \rightarrow 0.200 \text{ L}$$

$$n = CV$$

$$n = 0.5 \text{ mol/L} \times 0.200 \text{ L}$$

$$n = 0.100 \text{ mol } \text{Sr}(\text{NO}_3)_2 \text{ available}$$

EXCESS

$$0.100 \text{ mol } \text{Sr}(\text{NO}_3)_2 \times \frac{1 \text{ mol } \text{Na}_2\text{CO}_3}{1 \text{ mol } \text{Sr}(\text{NO}_3)_2} = 0.100 \text{ mol } \text{Na}_2\text{CO}_3 \text{ required}$$


---

Consider  $\text{Na}_2\text{CO}_3$  :

$$n = ?$$

$$C = 0.3 \text{ mol/L}$$

$$V = 300 \text{ mL} \rightarrow 0.300 \text{ L}$$

$$n = CV$$

$$n = 0.3 \text{ mol/L} \times 0.300 \text{ L}$$

$$n = 0.0900 \text{ mol } \text{Na}_2\text{CO}_3 \text{ available}$$

LIMITING

$$0.0900 \text{ mol } \text{Na}_2\text{CO}_3 \times \frac{1 \text{ mol } \text{Sr}(\text{NO}_3)_2}{1 \text{ mol } \text{Na}_2\text{CO}_3} = 0.0900 \text{ mol } \text{Sr}(\text{NO}_3)_2 \text{ required}$$


---

therefore the limiting reagent is  $\text{Na}_2\text{CO}_3$

$$\rightarrow 0.0900 \text{ mol } \text{Na}_2\text{CO}_3 \times \frac{1 \text{ mol } \text{SrCO}_3}{1 \text{ mol } \text{Na}_2\text{CO}_3} \times \frac{147.63 \text{ g } \text{SrCO}_3}{1 \text{ mol } \text{SrCO}_3} = 13.3 \text{ g } \text{SrCO}_3$$


---

$$\rightarrow 0.0900 \text{ mol } \text{Na}_2\text{CO}_3 \times \frac{2 \text{ mol } \text{NaNO}_3}{1 \text{ mol } \text{Na}_2\text{CO}_3} = 0.180 \text{ mol } \text{NaNO}_3$$

$$n = 0.1800 \text{ mol}$$

$$C = ?$$

$$V = 0.200 \text{ L} + 0.300 \text{ L} = 0.500 \text{ L}$$

$$C = \frac{n}{V}$$

$$C = \frac{0.180 \text{ mol}}{0.500 \text{ L}}$$

$$C = 0.360 \text{ M NaNO}_3$$


---