

Name: _____

Titration Test

1. What is the difference between an endpoint and an equivalence point. Which one does the experimenter observe? Which one will help with stoichiometry?

2. Define the term "protism" for the point of view of both acids and bases.

What is the protism of each of the following (i.e. mono, di tri protic):

Formula	Protism
HBr	
H ₃ PO ₄	
NaOH	
Al(OH) ₃	
Na ₂ CO ₃	
CH ₃ COOH	

3. Determine the concentration of 450 mL of HCl solution if neutralization can be achieved by 255 mL of 0.01 M KOH

4. Determine the concentration of 25 mL of H_3PO_4 solution if neutralization can be achieved by the addition of 0.852 g of Na_2CO_3 (s).
5. 2.50 g of a diprotic base is carefully neutralized by hydrochloric acid (HCl). 361.7 mL of 0.1 M HCl is required to achieve neutralization. Use this information to determine the molar mass of the base (Hint, find amount in moles first and then use the mass (2.50 g) to determine the mass for one mole. Now given your answer, which of the following bases could be the base in this question: Na_2SO_4 , K_2CO_3 , $\text{Na}_2\text{C}_2\text{O}_4$, $\text{Ba}(\text{OH})_2$, $\text{Al}(\text{OH})_3$, NaOH

6. Jessica and Brittini are messing about in the lab one day and accidentally brake a full bottle (2.00 L) of 12.1 M concentrated hydrochloric acid (HCl). Not quite sure what to do, Jessica quickly stirs in a 3.00 kg bag of sodium hydroxide (NaOH) in the hopes of neutralizing this mess. According to Brittini's calculations, this is to much base, so she quickly adds 3.0 L of concentrated 18.0 M H_2SO_4 . After the fire department and the ambulance have left, you are now faced with the job of neutralization. What mass in kg of NaHCO_3 (a monoprotic base) must be added to achieve true neutralization.